

THE
GALLERY
COLLECTION

FIRES & SUITES
2014-2015



THE GALLERY COLLECTION

WELCOME TO THE GALLERY COLLECTION

The Gallery Collection presents an extensive range of traditional and contemporary fireplaces, combining supreme craftsmanship, quality materials and elegance in design.

Our desire is to provide you with a superb choice of fireplaces skillfully made with high quality materials, all fitted in your home by reputable retailers so you can enjoy the experience of buying and owning your individual fireplace.

The **FIRES & SUITES** within this brochure represent classic fireplace designs, aimed to complement a variety of interior styles. All ten designs are available in Portuguese limestone and six of the designs are also available in one of our micromarble finishes.

We hope this wide choice will allow you to select your favourite design and finish.

A suite consists of the mantel, back panel and hearth. We have pictured our suite designs in a variety of option to demonstrate some of the many different combinations that can be achieved.

Every suite in this brochure can be fitted against a flat wall without a chimney, if chosen with an electric fire, all that is required is a power point.

We have generally shown the suites with gas and electric fire options, if burning solid fuel is your preference then please select a Portuguese Limestone suite and ask for a solid fuel hearth or refer to our other brochures. For a complete selection of suitable products please see our **FIREPLACES** brochure for a great range of cast iron inserts and the **STOVES & FIREBASKETS** brochure for a superb range of stoves and firebaskets.

CONTENTS

- 04 CARTMEL 48
- 06 CONISTON 54
- 08 CRANBOURNE 44
- 10 DACRE 54
- 12 DURRINGTON 42
- 14 DURRINGTON 48
- 16 ELLERBY 48
- 18 KENDAL 48
- 20 RYDAL 48
- 22 SUITE MATERIALS EXPLAINED
- 23 SUITES - RANGE AT A GLANCE
- 24 TRIM & FRET OPTIONS
- 25 FIREFRAME OPTIONS
- 26 FIRE AND SUITE SUITABILITY
- 27 FOCUS ON QUALITY

MADE 2 MEASURE

Portuguese Limestone Made To Measure Suites

In order to offer maximum flexibility and the ability to ensure that your fireplace fits your specific room perfectly, The Gallery Collection can offer a made to measure service on all Portuguese Limestone fireplaces from our suites collection. Our network of specially chosen retailers will be happy to discuss and advise on your individual requirements.

Ambient Lights.

Secluded down lights are available on many of our fireplace suites

FRONT COVER IMAGE: CONISTON 54 PORTUGUESE LIMESTONE WITH TIGER GAS STOVE, REEDED FIREBOARD CHAMBER AND PORTUGUESE LIMESTONE BACK HEARTH.

REAR COVER IMAGE: CRANBOURNE IN MOCHA BEIGE WITH GLASS FRONTED GAS CONVECTOR FIRE & AURORA FIREFRAME CHROME FINISH





ELLERBY 48 Perla

FIRE: GLASS FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL)
WITH CERAMIC COALS, BRUSHED STEEL TRIM & 16" BAUHAUS FRET POLISHED



CARTMEL 48 Mocha Beige with Ambient Lighting

FIRE: GLASS FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL)
WITH CERAMIC COALS & SOLARIS FIREFRAME CHROME FINISH

NEW

THE CARTMEL FIREPLACE IS ALSO NOW AVAILABLE WITH A 25mm (1")
REBATE AND A 25mm (1") REBATE WITH AMBIENT LIGHTS.

CARTMEL 48

MADE 2 MEASURE

Change size to suit your home.



CARTMEL 48 Portuguese Limestone

FIRE: DECORATIVE OPEN FRONTED GAS FIRE WITH CERAMIC COALS ANTIQUE BRASS FINISH TRIM & 16" BAUHAUS FRET



CONISTON 54 Perla

FIRE: OPEN FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL)
WITH CERAMIC COALS, BLACK TRIM & 1 1/2" CLEVEDON FRET

NEW

THE CONISTON PORTUGUESE LIMESTONE FIREPLACE IS ALSO NOW AVAILABLE WITH A 25mm (1") REBATE AND A 25mm (1") REBATE WITH AMBIENT LIGHTS.

CONISTON 54

MADE 2 MEASURE

Change size to suit your home.



CONISTON 54 Portuguese Limestone

STOVE: TIGER GAS, **CHAMBER:** NATURAL REEDED FIREBOARD (SLIPS NOT SHOWN),
HEARTH: PORTUGUESE LIMESTONE, **BACK HEARTH:** PORTUGUESE LIMESTONE



CRANBOURNE 44 *Portuguese Limestone*

FIRE: OPEN FRONTED GAS CONVECTOR FIRE WITH CERAMIC COALS & AURORA FIREFRAME BLACK



CRANBOURNE 44 Mocha Beige

FIRE: GLASS FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL) WITH CERAMIC COALS, POLISHED TRIM & 16" BAUHAUS FRET CHROME

DACRE 54

MADE 2 MEASURE

Change size to suit your home.



NEW

THE DACRE PORTUGUESE LIMESTONE FIREPLACE IS ALSO NOW AVAILABLE WITH A 25mm (1") REBATE AND A 25mm (1") REBATE WITH AMBIENT LIGHTS.



DACRE 54 Portuguese Limestone
FIRE: OPEN FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL) WITH SOLARIS CHROME FIREFRAME



DURRINGTON 42 Mocha Beige

FIRE: OPEN FRONTED GAS CONVECTOR FIRE WITH CERAMIC COALS & DIAMOND BLACK TRIM AND 16" BAUHAUS FRET

NEW

THE DURRINGTON PORTUGUESE LIMESTONE FIREPLACE IS ALSO NOW AVAILABLE WITH A 25mm (1") REBATE AND A 25mm (1") REBATE WITH AMBIENT LIGHTS.



DURRINGTON 42

MADE 2 MEASURE

Change size to suit your home.



DURRINGTON 42 *Portuguese Limestone*
FIRE: GLASS FRONTED GAS CONVECTOR (SLIDE CONTROL) WITH AURORA CHROME FIREFRAME

DURRINGTON 48

MADE 2 MEASURE

Change size to suit your home.



DURRINGTON 48 Portuguese Limestone

FIRE: ELECTRIC INSET FIRE WITH ANTIQUE BRASS FINISH TRIM & 16" BAUHAUS FRET

NEW

THE DURRINGTON 48 FIREPLACE IS ALSO NOW AVAILABLE WITH A 25mm (1") REBATE AND A 25mm (1") REBATE WITH AMBIENT LIGHTS.





DURRINGTON 48 *Mocha Beige with Ambient Lighting*
FIRE: OPEN FRONTED GAS CONVECTOR FIRE WITH AURORA BLACK FIREFRAME



ELLERBY 48 Portuguese Limestone

FIREBASKET: SMALL CRADLE POLISHED (REVERSIBLE), **FIRE:** REAL LOGS,
CHAMBER: NATURAL REEDED FIREBOARD, **BACK HEARTH:** PORTUGUESE LIMESTONE
*HEARTH & BACK HEARTH SLABBED FOR MULTI FUEL



ELLERBY 48 Perla
FIRE: GLASS FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL)
WITH CERAMIC COALS, BRUSHED STEEL TRIM & 16" BAUHAUS FRET POLISHED

KENDAL 48

MADE 2 MEASURE

Change size to suit your home.



NEW


THE KENDAL PORTUGUESE LIMESTONE FIREPLACE IS ALSO NOW AVAILABLE WITH A 25mm (1") REBATE AND A 25mm (1") REBATE WITH AMBIENT LIGHTS.



KENDAL 48 Portuguese Limestone
FIRE: GLASS FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL) WITH CERAMIC COALS & SOLARIS FIREFRAME ANTIQUE BRASS FINISH

MADE 2 MEASURE

Change size to suit your home.



NEW

THE RYDAL PORTUGUESE LIMESTONE FIREPLACE IS ALSO NOW AVAILABLE WITH A 25mm (1") REBATE AND A 25mm (1") REBATE WITH AMBIENT LIGHTS.



RYDAL 48 Portuguese Limestone

FIRE: GLASS FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL)
WITH CERAMIC COALS & AURORA FIREFRAME ANTIQUE BRASS FINISH

PORTUGUESE LIMESTONE



PORTUGUESE LIMESTONE

AVAILABLE IN ALL SUITE DESIGNS

This is natural stone, cut straight from the earth. The stone is sedimentary limestone formed over 50 million years ago. The characteristic darker veins on the light background, intermingled with fossils of plants and animal life all add to the beauty and individuality of this great material.

To find 'blooms', lighter and darker veins, 'whisps' of fossilised fern leaves and other unique features are not considered as defects but are part of the experience of owning a Portuguese Limestone suite. All the suites shown in this brochure can be purchased, made from PORTUGUESE LIMESTONE and come complete with matching hearth and three-piece back panel.

MADE 2 MEASURE SERVICE AVAILABLE

Change size to suit your home.

MICROMARBLE – MOCHA BEIGE & PERLA



MOCHA BEIGE

AVAILABLE IN SUITES: **THE CARTMEL, THE CRANBOURNE & THE DURRINGTONS (42 & 48)**



PERLA

AVAILABLE IN SUITES: **THE CONISTON & THE ELLERBY**

An engineered stone, manufactured from crushed marble and specially developed resins, is used to make the suites shown in this brochure.

The Durrington 42 and The Cranbourne are supplied with a three piece back panel whilst the remainder can be supplied with single piece back panels. Each suite is sold with its matching hearth.

To help further with the differences in the materials shown in this brochure, please refer to the opposite page. If colour is critical to you then please discuss this with your retailer



CARTMEL 48



CONISTON 54



CRANBOURNE 44



DACRE 54



DURRINGTON 48
Also available as 42" version



ELLERBY 48



KENDAL 48



RYDAL 48

FIREFRAME OPTIONS

Unlike the trims and frets on the previous page, the Fireframes below are fixed and non interchangeable. They do however come in a range of different finishes so there is sure to be something to suit your particular taste.



fireframe: **AURORA**
chrome finish

Also available in BLACK or
ANTIQU BRASS FINISH



fireframe: **LUNAR**
highlight



fires frame: **SOLARIS**
antique brass finish

Also available in CHROME FINISH

The table below explains which Fireframes and Trim & Frets are available for each particular fire.

Note: spacer kits may be required to fit trims to certain fires.


FIRE	TECHNICAL				CERAMICS		FIREFRAMES			FRETS (+TRIMS)					
	INPUT	OUTPUT	INSET DEPTH	MAX. EFFICIENCY	COALS	PEBBLES	AURORA	LUNAR	SOLARIS	1 1/2" BAUHAUS	1 1/2" BAUHAUS	CLEVEDON	EMPEROR	BALTIMORE	BLenheim
CLASS 1 OPEN FRONTED CONVECTOR GAS FIRE MODEL 940 (SLIDE) 951 (MANUAL)	6.9kW	4.0kW	235mm	64.5%	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓
CLASS 2 OPEN FRONTED CONVECTOR GAS FIRE MODEL 953 (SLIDE) 955 (MANUAL)	6.0kW	3.4kW	135mm	61%	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
GLASS FRONTED CONVECTOR (SLIDE CONTROL) MODEL 961	5.0kW	4.4kW	185mm	88.8%	✓		✓	✓	✓	✓	✓		✓		
DECORATIVE OPEN FRONTED GAS FIRE MODEL 939	6.9kW	3.5kW	245mm	50%	✓	✓								✓	✓
INSET ELECTRIC FIRE (REMOTE CONTROL)	2.0kW	2.0kW	75mm	100%	✓	✓				✓	✓	✓	✓	✓	✓

Once you have chosen the type of fire you want its time to decide which frame, fireframe, or trim and fret combination you prefer.

Below is a selection of five fret designs available in various finishes. Simply find a fret you like, combine this with a matching trim, then check the table on page 36 to determine what fires your chosen option is available with.

Note: spacer kits may be required to fit some frames to certain fires.

TRIMS



trim: BLACK

fret: **BALTIMORE**
black



trim: POLISHED

fret: **BALTIMORE**
chrome finish



trim: ANTIQUE BRASS FINISH

fret: **BAUHAUS**
antique brass finish



trim: BLACK

fret: **BAUHAUS**
black



trim: POLISHED

fret: **BAUHAUS**
chrome finish

Also available in polished finish



trim: DIAMOND BLACK

fret: **BAUHAUS**
diamond black



trim: ANTIQUE BRASS FINISH

fret: **BLenheim**
antique brass finish



trim: POLISHED

fret: **BLenheim**
highlight



trim: BLACK

fret: **CLEVEDON**
black



trim: BRUSHED

fret: **CLEVEDON**
polished



trim: BLACK

fret: **EMPEROR**
black



trim: BRUSHED

fret: **EMPEROR**
polished

FIRE & SUITE SUITABILITY

CHOOSING A FIRE

STEP ONE: Identify the chimney type in your house. (From Table below).

STEP TWO: Decide the type of fire that would suit your chimney and your preferred source of fuel. Ensure that the fire can be matched with a suitable Suite combination.

TABLE 1 KEY - TYPES OF FIRE

NG - Natural gas. Available for all chimney types.

MF - Multi fuel.

LPG - Liquid Petroleum Gas (LPG). Bottled gas.

ELECTRIC WITH HEAT - Decorative electric fire. Up to 2kW heat output.

TABLE 1



CLASS 1

Commonly in older houses, earlier than 1960. The Class 1 chimney is identifiable by 7" (180mm) or greater diameter flue. The existing chimney must be structurally sound, please check before the installation of a new fireplace.




CLASS 2

Either an older house where the existing chimney has been lined by a proprietary steel flue or a newer house with a steel flue built in. This chimney type is identifiable by a 5" (130 mm) diameter flue and a steel flue terminal.



PRE-CAST FLUE

Modern houses generally later than 1960 often have a pre-cast concrete chimney system, identifiable by a rectangular box section flue and a terminal, as illustrated in the picture.



NO CHIMNEY

Modern houses often have no chimney. You can use a modern decorative electric fire, either with no heat for aesthetics or an efficient fire with up to 2kW heat output.

	MF	NG	LPG	ELECTRIC	NG	LPG	ELECTRIC	NG	LPG	ELECTRIC	NG	ELECTRIC
HE GLASS FRONTED SLIDE CONTROL		✓			✓			✓				
CLASS 1 OPEN FRONTED CONVECTOR		✓	✓									
CLASS 2 OPEN FRONTED CONVECTOR					✓	✓		✓	✓			
DECORATIVE INSET		✓	✓		✓	✓						
ELECTRIC INSET				✓			✓			✓		✓
BASKETS	✓	✓	✓	✓	✓	✓	✓			✓		✓
STOVES	✓	✓	✓		✓	✓						

CHOOSING A SUITE OR MANTEL

STEP ONE: Measure the width of your chimney breast.

STEP TWO: Select a suite that has a shelf and hearth width less than your chimney breast width. (Dimensions A and H in Table 2 below).




TABLE 2	A	B	C	D	E	F	G	H	I	PORTUGUESE LIMESTONE	MOCHA BRIDGE	PERLA
CARTMEL 48	mm 1220	1040	760	820	1150	180	380	1220	50	✓	✓	
CONISTON 54	mm 1370	1120	805	865	1270	200	380	1370	50	✓		✓
CRANBOURNE 44	mm 1120	920	620	670	1000	195	380	1120	50	✓	✓	
DACRE 54	mm 1370	1115	865	840	1265	200	380	1370	50	✓		
DURRINGTON 42	mm 1066	965	690	755	990	160	380	1066	50	✓	✓	
DURRINGTON 48	mm 1220	1025	760	765	1120	150	380	1220	50	✓	✓	
ELLERBY 48	mm 1220	1050	720	800	1120	200	380	1220	50	✓		✓
KENDAL 48	mm 1220	1030	720	810	1120	200	380	1220	50	✓		
RYDAL 48	mm 1220	1020	760	800	1120	180	380	1220	50	✓		

All suites come as standard with a 75mm (3") rebate

A FOCUS ON SERVICE FOR YOUR PEACE OF MIND

All cast iron products are manufactured in ISO 9002 accredited manufacturing facilities.

All the gas fires we supply are tested in accordance with CE requirements and are CE marked.

Due to the manufacturing processes all measurements are approximate and may vary slightly so allow for a tolerance of plus or minus 12mm.

In order to achieve some of the colour options, we plate the products using a variety of manufacturing processes. When we state that a product is "Antique Brass finish" or "Chrome finish" there is no intention to mislead. The products are not brass or chrome respectively, they are simply plated to give that effect.

MICROMARBLE products are not suitable for solid fuel applications.

The colours shown in the brochures are as accurate as possible, but if the colour you require is critical then please consult your retailer before basing all your decisions on the colours shown here.

Your home may have a chimney type which will allow you to choose any of the fireplaces shown in the brochures. However, please consult the selection charts in the brochures and if you are not clear please consult your HETAS or GAS SAFE REGISTER (Board Gais in ROI) registered installer or your retailer.

Gas fires with a gas input of 6.9kW or less do not normally require air vents, there are some circumstances where vents may be required. This is determined by your installer carrying out a spillage test during the commissioning process. If your chosen fire has a gas input greater than 6.9kW then a vent will be required. Please ask your retailer for further information.

There are occasions when designs, or products are altered or discontinued without prior notice (a reserved right), so if you are about to set your heart on a particular fireplace, please consult your retailer before making that final commitment.

REASSURANCE BEFORE YOU COMMIT TO THE INSTALLATION OF YOUR GALLERY FIREPLACE.

It is a major project to have a new fireplace installed and it is good practice to try and prepare yourself as well as possible.

All installations must be carried out in accordance with the requirements set out in the Building Regulation documents, in particular, Approved Document J. There are independent bodies which have been approved to carry out installations in accordance with these regulations. For gas installations the most recognised independent body is GAS SAFE REGISTER (Board Gais in ROI) and for solid fuel installations it is HETAS. Please confirm with your retailer that your new fireplace will be installed appropriately. If you have your new fireplace fitted by a GAS SAFE REGISTER (Board Gais in ROI) or HETAS registered fitter you will be given a certificate stating that your installation has been carried out in accordance with the Building Regulations. If you do not have one of these certificates then you will have to arrange for your local Building Control Officer to inspect your installation and approve it.

Whilst there appear to be no definitive regulations available, a sufficient gap must be provided around the basket when placed inside the fire chamber. This is essential because air must be able to flow into the fire in order for the fuel to burn effectively; the flue and fire chamber surfaces must be kept cool to avoid heat damage from the fire and where applicable gas controls need to be freely accessible.

Your Gallery fireplace is made up of a number of different components and it is important to ensure that your installer not only meets the requirements above, but that he also has the necessary experience to fit ALL those components.

In the unlikely event that there is a defect in any of the products shown in this brochure, then a replacement will be supplied without hesitation. Of course, this requires the products to be fully inspected prior to installation as no responsibility for re-fitting or redecoration can be accepted if defective products have been installed. In this case and in the case of accidental damage after installation, in-situ repairs can be made by specialists, subject to prior agreement of terms with your retailer.

UNDERSTANDING YOUR NEW GALLERY FIREPLACE COMPONENTS AND THEIR AFTERCARE AND MAINTENANCE.

PORTUGUESE LIMESTONE SUITES

Stone is naturally porous, so all visual surfaces have been pre-sealed to help protect the surface from staining. Avoid spillages of coloured liquids such as fruit juices and red wine. In the event of an accident, use a specialist cleaning and resealing kit, following the instructions given by the manufacturer of the kit. Where chipping has occurred, use a fine wet and dry sand paper to blend out as necessary

MICROMARBLE SUITES


Avoid spillages of strong coloured solutions and citrus juices as the acid may etch the surface. To maintain the subtle shine of the surface, occasionally wipe over with a solution of general household cleaner and buff with a soft dry cloth. Do not use any bleach or abrasive cleaning agents as these will scuff or dull the shine.

GAS FIRES

A gas fire is a technical piece of equipment and, just like a gas boiler needs regular servicing. Please ensure that you have your gas fire serviced regularly by a GAS SAFE REGISTER (Board Gais in ROI) registered installer. This will help you enjoy safe and trouble free enjoyment of your fireplace for years to come and may be a requirement of the Government's Home Information Pack.

THE GALLERY COLLECTION



Original Gallery Collection products are  (anti copying in design) registered, and are therefore protected by UK design right. We will not compromise on quality, neither should you, so in order for you to receive products manufactured to the highest possible standards, insist only on a genuine Gallery Collection Fireplace.



DEALER STAMP



www.galleryfireplaces.co.uk

