# HENLEY® STOLES EVERY HOME DESERVES A HENLEY



THE STOVE COLLECTION 2024 : VOL 1





# **HENLEY STOVES**

Henley Stoves is one of the fastest growing stove brands in both Ireland and the UK.

At Henley we are committed to providing quality products at affordable prices backed up with a market leading focus on customer service.

From factory floor to family home, our customers are our first priority.

We pride ourselves on using new designs, new technology and new environmentally friendly standards to ensure we are a market leader in the provision of the latest quality affordable stoves.

We service a range of customers across Ireland and the UK from our distribution centres in South West Ireland, Dublin and Cambridgeshire in the UK.

We have a range of products from traditional wood burning stoves to a wide and exclusive range of bio-ethanol stoves.

Henley has been at the heart of homes across Ireland and the UK since 1989.



Henley Stoves is also the producer of the Bertoneri Collection of Stone, Marble Surrounds & Fireplace Accessories.

Ask your local Henley Stockist about the 2024 Bertoneri Fireplace Collection Today

#### **Freestanding Collection**

06	•	Redwood eco
07	•	Glenwood eco
80	•	Ascot eco Range
10	•	Dunloe eco
11	•	Thames eco Range
12	•	Clearwood eco
13	•	Alderwood eco
14	•	Hazelwood Range
16	•	Leaf
17	•	Hampton

#### Insert & Cassette Collectio

- Muckross eco
- Arklow eco

36

37

- Achill eco 38
- 39 Elmwood eco

#### **Pellet Stoves Collection**

- BIO80Q Pellet 46
- 47 Elm 4 - Pellet

### **Boiler Stoves Collection**

- Elm 20 Pellet 50
- 51 Sherwood 12

#### **Outdoor Stoves Collection**

53 • Thor 12

### **Stove & Fireplace Accesso**

- Natural Stone Tiles 54
- Wood Effect Beams 55

#### **Stove Dimensions**

Please note that images of installations within this brochure may not conform to British and Irish building regulations. All images are used for illustration purposes only. Please consult with a qualified professional installer (HETAS registered in the United Kingdom & Republic of Ireland) for expert advice including the requirement for a hearth in your home. Images contained within this brochure are Copyright 2023 of Henley Stoves.



-	~	

	18	•		
	20	•		
	22	•	Elmwood eco	
	24	•	Burnbright	
	26	•	Willow eco	
	28	•	Severn Range	
	30	•	Sherwood Range	
	32	•	Hampshire Range	
	34	•	Bracken eco	
	35	•	Porto Door	
or	ו			36
	40	•	Athens Range	
	42	•	Eco c400 / c550	
	43	•	Lagos Range	
	44	•	Portimao Range	
				46
	48	•	Elm 8 - Pellet	
	49	•	Elm 11 - Pellet	
				50
	52	•	Portimao 16	
n				53
or	es			54
	56	٠	Stove Hearths	
				58



#### SIA ECO-DESIGN READY

A Henley stove with this icon is a stove which meets the future EU Standards established in 2022.

CE

**EUROPEAN STANDARD** 

European Standard of testing for stoves fired by solid fuel,

incorporating corrigenda

September 2003, June 2006 and

August 2007.



#### clearSkies Levels explanation

A clearSkies label means you can be assured that the Henley stove meets all the energy and efficiency criteria, and the different levels allow you to identify how far beyond Ecodesign criteria they go in terms of reducing emissions and increasing efficiency.



Ecodesign compliant but not listed as Defra exemt.



15% improvement on Ecodesign; and Defra exempt.



Ecodesign compliant (e.g. previous SIA Ecodesign Ready) and Defra exempt.



15% improvement in emission & efficiency performance on Level 4; And Defra exempt.

**ECO DESIGN READY 2022** 

All Henley Ecodesign stoves in

this brochure are stamped with

our Ecodesign Ready 2022 logo.



#### **5 YEAR WARRANTY**

Henley stoves come with a 5 year warranty on the body of the stove.



#### **EXTERNAL AIR**

A Henley stove has an external air facility allowing the air to come directly from outside your building rather than through a vent in the room. This is required for heat recovery systems in new build projects.



#### **CLEAN BURN**

A Henley stove has an tertiary air system. This creates a clean-burn system where hot air is pushed into the firebox above the normal height of the fire. This allows the excess gases to combust giving a cleaner burn.



#### WOOD BURNING This icon denotes that this Henley stove uses Wood Fuel only.



All Henley stoves come with an air- wash system which helps to keep the glass clean. It uses a specially placed vent or vents to draw in air from the outside which will wash over the front of the glass.

# eco design Ready Comparisons

90% LESS Particulated emissions compared to an open fire

70% CHEAPER To run than an open fire

60% MORE Efficient than an open fire

**clear**Skies HARP DEFRA

A & A+ Energy rating

16 Logs\*

To produce 4kWh of heat over 5 hours





\*Kiln dried hardwood

## G Energy rating

## **OPEN FIREPLACE**

\*Efficiency based on a Henley Sherwood 5kW stove. Data from Stove Industry Alliance. Figures correct at the time of print - Dec 2023


eco design Ready 2022

5 Logs\* To produce 4kWh of heat over 5 hours

\*Kiln dried hardwood

## HENLEY eco design STOVE

HENLEY







# REDWOOD

The Redwood stove is the perfect addition to any home seeking warmth and style. This multi-fuel stove boasts a 5 kW output and an impressive 79% efficiency rating, ensuring your home is cozy and efficient. Equipped with an air-wash feature, The Redwood is easy to maintain and keep clean. With its Transitional Design Style, this freestanding stove is both modern and timeless, blending seamlessly into any room.

## FREESTANDING



# GLENWOOD

The Glenwood, a versatile and efficient multi-fuel stove from Henley Stoves. With its sleek Rustic Design Style and freestanding structure, this stove is the perfect addition to any modern home. Boasting a 5 kW output and 79.0% efficiency, the Glenwood provides a powerful and cost-effective heating solution for your living space. Equipped with air-wash technology, this stove ensures a clear view of the flames, enhancing the ambience of your room.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Redwood 5 - freestanding	590	390	360	125	

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Glenwood 5 - freestanding	590	390	360	125	











# ASCOT

The Ascot Eco, Henley Multi Fuel Stove is the perfect fit for any classic-style home. It features a 5kW or 8kW option and is multifuel so you can easily switch up your fuel choice. With a remarkable up to 82.5% efficiency rate, it's sure to keep your home toasty through the cooler months. The air-wash keeps the glass clean and clear, giving you the perfect view of the blazing fire. The freestanding design makes it easy to place in any room, and the External Air allows for an efficient and healthy heating system.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Ascot 5 - freestanding	559	382	361	125	
Ascot 8 - freestanding	600	490	380	125	



## FREESTANDING





9






# DUNLOE

The Dunloe stove is the perfect addition to any home seeking warmth and style. With an impressive 5.1kw output and 83% efficiency rating, this stove is not only stylish but also highly functional. Its classic design with a cast iron body and door in a sleek matt black finish will add charm and character to your living space. Plus, it's energy-efficient with an A+ energy rating and can burn multiple fuel types. The airwash feature helps to keep the glass clear for maximum viewing pleasure while also minimizing maintenance.

## FREESTANDING



# THAMES

The Thames, Henley Multi Fuel Stoves are the perfect heat source for any classic home. This freestanding stove is multifuel with a maximum heat output of 5kW, and an 80.7% efficiency that heats your home quickly and efficiently. The air-wash system ensures that your stove's viewing window stays clean whilst giving you a clear view of the fire. The Thames, Henley stove is the perfect match for any traditional home décor style.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Dunloe 5.1kW - freestanding	617	438	359	125	

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Thames 5 - freestanding	495	430	339	125	










# CLEARWOOD

The Clearwood Multi Fuel Stove is the perfect stove for any home. This versatile freestanding stove boasts a maximum heat output of 5.1kW and an impressive 80.7% efficiency rating, ensuring your space stays cozy in no time. Featuring an air-wash system, you can enjoy a clear view of the fire through the stove's viewing window without worrying about cleaning.

## FREESTANDING





# ALDERWOOD

The new Alderwood room heater is Eco Design Ready with an efficient 6.7kW heat output. A matt black finish and clean design paired with its high performance make this model a perfect choice for any fireside setting.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Clearwood 5 - freestanding	495	430	339	125	

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Alderwood 6.7kW - freestanding	623	550	335	125	












# HAZELWOOD

Introducing the Hazelwood range. These new wood-burners meet Henley's high environmental standards, ensuring a clean & efficient burn. With the Hazelwood range, you can be safe in the knowledge that you are heating your home with, one of the most reliable & Eco-friendly stoves in our range.



FEATURES

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Hazelwood 4.9kW - freestanding	500	420	335	125	
Hazelwood 5kW - freestanding	623	550	335	125	
Hazelwood With Logstore 5kW - freestanding	904	550	335	125	
Hazelwood DS 6.5kW - freestanding	530	465	500	125	







# LEAF

The Leaf – a stove with a steel body and a cast iron door that delivers outstanding efficiency and environmental performance. This woodburner, with a heat output of 4.9kW and efficiencies reaching up to 79.8%, is the perfect solution for keeping your home warm and cosy while also being environmentally friendly. Its durable steel body and cast iron door ensure that it will last for years to come, while its sleek design adds a touch of elegance to any room.

\*These stoves are

**Wood Burning only** 

# FREESTANDING



FEATURES

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Leaf 4.9kW - freestanding	500	420	335	125	

# HAMPTON

One of Henley's most classic double door designs. The new Hampton is a Steel body stove with classic cast iron doors boasting great efficiency and environmental performance whilst giving a sense of style and tradition to your fireplace.

	*These stoves are
BURNING	*These stoves are Wood Burning only

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Hampton 4.9kW - freestanding	623	550	335	125	












# ELCOMBE

Now adapted for the Eco line, the Elcombe 5kW room heater's Output is remarkable for its modest size. Combining a sleek body with solid features, the Elcombe will compliment any modern or traditional interior. The Elcombe is also available with logstore option.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Elcombe 5kW- freestanding	585	490	343	125	
Elcombe With Logstore 5kW - freestanding	815	490	343	125	










# LINCOLN

The Lincoln 5kW room heater stove combines contemporary stove design with a blend of traditional values. Now adapted for the Eco line, its attractive look and superb cast iron build quality makes this stove an excellent choice for any customer, available with or without a logstore.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Lincoln 5kW- freestanding	585	490	343	125	
Lincoln With Logstore 5kW - freestanding	815	490	343	125	









# ELMWOOD

Experience the perfect blend of classic and modern design with the new Elmwood room heater. Designed with an Eco Design, this heater boasts an impressive 4.9kW and 6,7kW heat output and high efficiencies, ensuring that your living space is always warm and cosy. The Victorian design, finished in elegant matt black, adds a touch of sophistication to any room, while the large viewing glass provides sensational fireside views. The Elmwood room heater is the perfect addition to your home.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Elmwood Compact 4.9kW - freestanding	574	444	310	125	
Elmwood Multifuel 6.7kW - freestanding	683	574	335	125	










# BURNBRIGHT


The Burnbright delivers 6.7kW of heat to the room with crystal clear burn and remarkable control. Purposely designed to maximize the view of the fire, the minimal styling of the Burnbright fits comfortably into any fireside situation.

The Burnbright also includes the option to add a convenient log-store feature.



\*A separate Logstore is available.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Burnbright Multifuel 6.7kW - freestanding	623	550	335	125	
Logstore - freestanding	322	550	330		









# WILLOW

The Willow room heater is Eco Design Ready with a 4.9kW and a 6.7kW heat output. The simplicity of the matt black finish combined with the contemporary design makes this model a popular choice for new builds.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Willow Compact 4.9kW - freestanding	500	420	335	125	
Willow 6.7kW - freestanding	623	550	335	125	

## FREESTANDING





27





# SEVERN

The Severn range is part of the new Henley Stove that have achieved eco standards and boast both a contemporary design coupled with classic features making it a perfect choice for all tastes. With a 8.4kW heat output and an efficiency rating of 79%.

The Severn also includes the option to add a convenient log-store feature.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Severn 5 - freestanding	487	350	415	125	
Severn 8 - freestanding	530	470	435	125	
Logstore 5 - freestanding	150	350	280		
Logstore 8 - freestanding	200	470	300		









# SHERWOOD

The Sherwood stove is the perfect blend of style and performance. With an output of 5kW or 6.8kW and an efficiency rating of up to 77.9%, this stove delivers warmth and comfort to your home. Class A energy rating ensures efficient heating, while the clean and sleek design in a matt black finish adds an elegant touch to any room. The Sherwood stove is a multi-fuel stove with an external air connection that provides a healthier living environment. The cast iron door is durable and easy to clean, and the air-wash system ensures a clear view of the fire.

\*A separate Logstore is available.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Sherwood 5 - freestanding	559	382	362	125	
Sherwood 7 - freestanding	570	470	388	125	
Sherwood 12 - freestanding	630	540	390	153	
Logstore 5 - freestanding	210	370	315		
Logstore 7 - freestanding	240	440	330		









# HAMPSHIRE

The Hampshire stove is the perfect blend of style and performance. With an output of 5kW or 6.8kW and an efficiency rating of up to 77.9%, this stove delivers warmth and comfort to your home. Class A energy rating ensures efficient heating, while the clean and sleek design in a matt black finish adds an elegant touch to any room. The Hampshire stove is a multi-fuel stove with an external air connection that provides a healthier living environment. The cast iron door is durable and easy to clean, and the air-wash system ensures a clear view of the fire.

\*A separate Logstore is available.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Hampshire 5 - freestanding	559	382	361	125	
Hampshire 7 - freestanding	570	470	370	125	
Logstore 5 - freestanding	210	370	315		
Logstore 7 - freestanding	240	440	330		









# **BRACKEN ECO**

The Bracken 7.9kW multi fuel stove encompasses both traditional design and modern technology. Its double combustion system allows for great fuel efficiency along with excellent air control.

Its separate ash door allows for easy cleaning.

## FREESTANDING



DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Bracken 7.9kW - freestanding	581	520	355	125	

# PORTO DOOR

The Porto stove door is a DIY door which can be added to your standard fireplace to help ensure you get the maximum efficiencies from your current fireplace without the need to install a room heater stove. The Porto stove door allows you to control the burn rate of your open fire and can be used in conjunction with your current back boiler increasing the output of your back boiler. With the Henley Porto stove door you can be rest assured all the heat from your fire is being used efficiently.

Suitable for 16" or 18" openings

DIMENSIONS	HEIGHT	WIDTH		
Porto Door	620	525		

## **DIY STOVE DOOR**

FINISH AVAILABLE:

Matt Black








# **MUCKROSS**

The Muckross insert multi-fuel stove boasts an impressive 83.3% efficiency rating and is eco-design compliant. The air-wash system keeps the glass clear for an uninterrupted view of the flames, while its insert design allows it to fit most standard fireplace openings. The cast iron door adds both durability and elegance to this stove.

## **INSERT**



ensures durability and elegance.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	backbox HEIGHT	backbox WIDTH	backbox DEPTH
Muckross - insert	595	485	370	125	512	396	283

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT	backbox WIDTH	BACKBOX DEPTH
Arklow - insert	591	485	370	125	512	396	263








# ACHILL

The Achill insert multi-fuel stove, a remarkably efficient and eco-conscious addition to your home.

With an impressive 80.2% efficiency rating, the Achill meets stringent eco-design standards, ensuring minimal environmental impact while providing exceptional heating performance. Its air-wash system effectively keeps the glass door clear, offering an unobstructed view of the dancing flames. The insert design seamlessly integrates into most standard fireplace openings, while the cast iron door exudes both durability and timeless elegance.

**INSERT** 



DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	backbox HEIGHT	backbox WIDTH	BACKBOX DEPTH
Achill Eco - insert	595	485	430	125	552	396	370

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	backbox HEIGHT	backbox WIDTH	BACKBOX DEPTH
Elmwood Eco - insert	594	540	430	125	552	396	370





# ATHENS

The Athens 400, 500 Wood Burning Cassette Stoves are manufactured with beautiful steel construction & boast excellent burn control along with an 81% plus efficiency level. Sleek, modern design and a large viewing glass that is sure to turn heads in any home.

For proper functionality, this stove must be installed with external air.

The Athens Range comes as standard with a 4 Sided Glass Frame.



DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	backbox HEIGHT
Athens 400 / 4.8kW - cassette	626	468	350	153	550
Athens 500 / 6.2kW - cassette	630	577	350	153	555

## CASSETTE





# ECO C400 & C550

The ECO C400 & C550 multi fuel cassette is popular stove in the Henley European collection. Manufactured in Portugal from strong steel construction. It boasts an excellent burn control along with an 82.2%

For proper functionality, this stove must be installed with external air.

plus efficiency level.

## CASSETTE



# LAGOS

The Lagos models are a range of Wood Burning Cassette Stoves manufactured in southern Portugal from steel and boast excellent burn control along with an 77% plus efficiency level. Their sleek modern design and large viewing window allows this stove to be the focal point of any home.

The Lagos is available in 500, 600 models.

For proper functionality, this stove must be installed with external air.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT
ECO C400 /5kW - cassette	663	512	342	127	552
ECO C550 /6.9kW - cassette	594	663	344	127	482

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT
Lagos 500 4.5kW - cassette	545	496	440	151	545
Lagos 600 6.5kW - cassette	545	596	440	151	545














plus efficiency level. Their sleek modern design and large viewing window allows this stove to be the focal point of any home.

The Portimao is available in 700, 900, 900DS and 16kW boiler models.

For proper functionality, this stove must be installed with external air.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT
Portimao 700 /7.2kW - cassette	545	696	440	151	545
Portimao 900 / 9kW - cassette	545	896	440	151	545
Portimao 900 DS / 8kW - cassette	545	896	527	151	-

ENERGY CLASS: FINISH AVAILABLE:







# BIO 80Q

#### Special features include:

- Reinforced steel structure
- Cast iron brazier
- Removable ash drawer
- Painted steel covering
- Chimney protection system
- Enhanced thermal exchanger
- Intelligent heating system
- Safety on over-temperature of reservoir / stove & a weekly programmer with 4 on / 4 off daily time settings


The New Fair BIO Pellet Stoves from Henley are the most economical stoves in our range, reaching efficiency levels of between 91.5% & 93%.



**PELLET STOVE** 



#### \*Optional Wi-Fi Kit available.



# ELM 4

Special features include:

- Reinforced steel structure
- Cast iron brazier
- Removable burner bowl & ashtray
- Painted steel covering
- 4kg storage container for 4 to 13 hours of operating time without refilling
- Enhanced thermal exchanger
- 5 combustion levels and 5 ventilation speeds
- Daily time settings
- Operation via control panel with display or conveniently via remote control
- Remote access control via Smartphone App using home Wi-Fi (optional)

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Elm 4kW - freestanding	610	385	430	80	



## **PELLET STOVE**





#### \*Optional Wi-Fi Kit available.

47





# ELM 8

## PELLET STOVE

#### Special features include:

- Reinforced steel structure
- Cast iron brazier
- Removable burner bowl & ashtray
- Painted steel covering
- 18 kg storage container for 6 to 28 hours of operating time without refilling
- Enhanced thermal exchanger
- 5 combustion levels and 5 ventilation speeds
- Daily time settings
- Operation via control panel with display or conveniently via remote control
- Remote access control via Smartphone App using home Wi-Fi (optional)

OUTPUT:	8kW
EFFICIENCY:	90.0%
ENERGY CLASS:	A+
FINISH AVAILABLE:	Black
	Red



#### \*Optional Wi-Fi Kit available.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Elm 8kW - freestanding	909	435	460	80	

# ELM 11

#### Special features include:

- Reinforced steel structure
- Slide-out drawer for easy pallet loading
- Full sliding unit for easy maintenance
- 15kg storage container for 6 to 24 hours of operating time without refilling
- Cast iron brazier
- Removable burner bowl & ashtray
- Painted steel covering
- Enhanced thermal exchanger
- 5 combustion levels and 5 ventilation speeds
- Daily time settings
- Operation via control panel with display or conveniently via remote control
- Remote access control via Smartphone App using home Wi-Fi (optional\*)

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Elm 11kW - Insert stove	650	802	655	80	

## **PELLET INSERT STOVE**





#### \*Optional Wi-Fi Kit available.

Black EXTERNAL AIR



# ELM 20

## PELLET BOILER STOVE



- Reinforced steel structure
- Cast iron brazier •
- Removable burner bowl & ashtray •
- Painted steel covering •
- 25 kg storage container for 6 to 31 hours of • operating time without refilling
- Enhanced thermal exchanger •
- 22L Boiler Capacity
- 5 combustion levels and 5 ventilation speeds •
- Daily time settings •
- Operation via control panel with display or conveniently via remote control
- Remote access control via Smartphone App • using home Wi-Fi (optional)

\*A Boiler's heat output to the room in which it is fitted can vary depending on how many radiators are utilised.





#### \*Optional Wi-Fi Kit available.

The Sherwood 12 Boiler stove is the perfect blend of style and performance. Class A+ energy rating ensures efficient heating, while the clean and sleek design in a matt black finish adds an elegant touch to any room. The Sherwood stove is a multi-fuel stove with an external air connection that provides a healthier living environment. The cast iron door is durable and easy to clean, and the air-wash system

ensures a clear view of the fire.

DIMENS


Sherwood

\*A Boiler's heat output to the room in which it is fitted can vary depending on how many radiators are utilised.

DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Elm 20kW pellet boiler - freestanding	1043	534	590	80	

IONS	HEIGHT	WIDTH	DEPTH	FLUE	
d 12 Boiler - freestanding	630	540	455	153	

## **BOILER - FREESTANDING**









# PORTIMAO 16

The Portimao models are a range of Wood Burning Cassette Stoves manufactured in southern Portugal from steel and boast excellent burn control along with an 85% plus efficiency level. Their sleek modern design and large viewing window allows this stove to be the focal point of any home.

For proper functionality, this stove must be installed with external air.

\*A Boiler's heat output to the room in which it is fitted can vary depending on how many radiators are utilised.

## **BOILER - CASSETTE**





DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT
Portimao 16kW Boiler - cassette	553	697	535	194	950


# **THOR 12**

The Thor 12kW stove is an outdoor wood stove with elegant and sophisticated look. Its cube shape is complemented by a distinctive modular design featuring 4 glass panels. You can choose a version with a steel floor plate, handy for storing firewood.



DIMENSIONS	HEIGHT	WIDTH	DEPTH	FLUE	
Thor 12kW	1000	550	550	125	
Thor 12kW With Steel Floor Plate Base	1000	550	550	125	

## **OUTDOOR STOVE**



## Natural Stone Tiles

Bring the charm of the outdoors into your home with our natural stone tiles. A distinctive and popular choice to incorporate into both contemporary & traditional design projects.

Choose from our range of 4 styles of stone tiles to create a superior natural feature for your home.





#### **OYSTER SLATE VS-01**



**BLACK GRANITE VS-03** 

# **MULTICOLOUR SLATE VS-02**



#### WHITE QUARTZ VS-04

## Wood Effect Beams

Our wood-effect beams are manufactured from a non-combustible material & finished with a water-based stain. Currently available in 2 charming shades of oak. These designs are perfect for any interior design project.

Available in: 1220mm x 150mm x 150mm Available in: 1372mm x 150mm x 150mm






## **HENLEY STOVES ACCESSORIES**

## STOVE HEARTHS

### Splayed Black Granite Hearths

Sizes Available


CODE	WIDTH	LENGTH	RISER
HR007	36" (915mm)	30" (762mm)	2" (50mm)



#### Curved Black Granite Hearth with Chamfer

#### Sizes Available

CODE	WIDTH	LENGTH	HEIGHT
HR009	36" (914mm)	12" (305mm)	30mm extension piece
HR006	36" (914mm)	30" (762mm)	30mm slab chamfer



#### **Curved Black Granite Hearths**

#### Sizes Available

CODE	WIDTH	LENGTH	RISER
HR004	36" (914mm)	24" (610mm)	3" (75mm)
HR005	36" (914mm)	29" (736mm)	3" (75mm)
HR008	36" (914mm)	36" (914mm)	3" (75mm)
HR014	54 " (1372mm)	24" (610mm)	3" (75mm)
HR016	54 " (1372mm)	29" (736mm)	3" (75mm)
HR022	60" (1524mm)	24" (610mm)	3" (75mm)
HR024	60" (1524mm)	29" (736mm)	3" (75mm)

### Teardrop Polished & Honed Black Granite Hearths

#### Sizes Available

CODE	WIDTH	LENGTH	HEIGHT	
HR033	800mm	800mm	30mm	Polished
HR035	900mm	900mm	30mm	Polished
HR052	800mm	800mm	30mm	Honed
HR053	900mm	900mm	30mm	Honed

#### Circle Polished & Honed Black Granite Hearth

Sizes Available

CODE	WIDTH	LENGTH	HEIGHT
HR054	900mm	900mm	30mm


### Black Granite Hearth Extension Piece

#### Sizes Available

CODE	WIDTH	LENGTH	RISER
HR002	36" (914mm)	14" (355mm)	3" (75mm)


Curved Hearth Extension


• Perfect for adding depth to your existing hearth




## BERTONERI











57

### **DIMENSIONS: ROOM HEATERS**

HEIGHT WIDTH DEPTH FLUE   ASCOT 5KW 559mm 382mm 361mm 125mm - -   ASCOT 5KW 600mm 490mm 380mm 125mm - -   ASCOT 8KW 600mm 550mm 335mm 125mm - -   BRACKEN 7.9KW 581mm 520mm 335mm 125mm - -   BURNBRIGHT 5KW 623mm 550mm 335mm 125mm - -   CLEARWOOD 5KW 495mm 444mm 403mm 125mm - - -   DUNLOE 5.1KW 617mm 438mm 359mm 125mm - - -   ELCOMBE LOGSTORE 815mm 490mm 343mm 125mm - - -   ELMWOOD COMPACT4.9KW 574mm 310mm 125mm - - -   GLNWOOD 5.KW 590mn 390mm 325mm 125mm - - -   HAMPSHIRE 7 570mm								
ASCOT 8KW 600mm 490mm 380mm 125mm - -   ALDERWOOD 6.7KW 623mm 550mm 335mm 125mm - -   BRACKEN 7.9KW 581mm 520mm 335mm 125mm - -   BURNBRIGHT SKW 623mm 550mm 335mm 125mm - -   CLEARWOOD 5KW 495mm 430mm 339mm 125mm - -   DUNLOE 5.1KW 617mm 438mm 359mm 125mm - -   ELCOMBESKW 585mm 490mm 343mm 125mm - -   ELCOMBE LOGSTORE 815mm 490mm 343mm 125mm - -   ELMWOOD COMPACT4.9KW 574mm 335mm 125mm - - -   HAMPSHIRE 5 559mm 332mm 369mm 125mm - -   HAMPSHIRE 7 570mm 470mm 370mm 125mm - -   HAZELWOOD 5 LANDSCAPE 623mm </td <td></td> <td>HEIGHT</td> <td>WIDTH</td> <td>DEPTH</td> <td>FLUE</td> <td></td> <td></td> <td></td>		HEIGHT	WIDTH	DEPTH	FLUE			
ALDERWOOD 6.7KW 623mm 550mm 335mm 125mm - -   BRACKEN 7.9KW 581mm 520mm 355mm 153mm - - -   BURNBRIGHT 5KW 623mm 550mm 335mm 125mm - - -   CAMBRIDGE ECO 5KW 586mm 444mm 403mm 125mm - - -   CLEARWOOD 5.XW 495mm 430mm 337mm 125mm - - -   DUNLOE 5.1KW 617mm 438mm 357mm 125mm - - -   ELCOMBE LOGSTORE 815mm 490mm 343mm 125mm - - -   ELMWOOD 6.7KW 683mm 574mm 335mm 125mm - </td <td>ASCOT 5KW</td> <td>559mm</td> <td>382mm</td> <td>361mm</td> <td>125mm</td> <td>-</td> <td>-</td> <td>-</td>	ASCOT 5KW	559mm	382mm	361mm	125mm	-	-	-
BRACKEN 7.9KW 581mm 520mm 355mm 153mm - -   BURNBRIGHT 5KW 623mm 550mm 335mm 125mm - -   CAMBRIDGE ECO 5KW 586mm 444mm 403mm 125mm - -   CLEARWOOD 5KW 495mm 430mm 339mm 125mm - -   DUNLOE 5.1KW 617mm 438mm 339mm 125mm - -   ELCOMBESKW 585mm 490mm 343mm 125mm - -   ELCOMBE LOGSTORE 815mm 490mm 343mm 125mm - -   ELMWOOD 6.7KW 683mm 574mm 335mm 125mm - -   GAINNOOD 5KW 590mm 390mm 360mm 125mm - -   HAMPSHIRE 5 559mm 382mm 369mm 125mm - -   HAZELWOOD 4.9 COMPACT 500mm 420mm 335mm 125mm - -   HAZELWOOD 5 LANDSCAPE	ASCOT 8KW	600mm	490mm	380mm	125mm	-	-	-
BURNBRIGHT SKW 623mm 550mm 335mm 125mm - -   CAMBRIDGE ECO 5KW 586mm 444mm 403mm 125mm - -   CLEARWOOD 5KW 495mm 430mm 339mm 125mm - -   DUNLOE 5.1KW 617mm 438mm 359mm 125mm - -   ELCOMBESKW 585mm 490mm 343mm 125mm - -   ELCOMBELOGSTORE 815mm 490mm 343mm 125mm - -   ELMWOOD 6.7KW 683mm 574mm 335mm 125mm - -   GLENWOOD 5KW 590mm 390mm 360mm 125mm - -   HAMPSHIRE 5 559mm 382mm 369mm 125mm - -   HAZELWOOD 4.9 COMPACT 500mm 325mm 125mm - -   HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - -   HAZELWOOD 5 LONDSCAPE 623mm	ALDERWOOD 6.7KW	623mm	550mm	335mm	125mm	-	-	-
CAMBRIDGE ECO 5KW 586mm 444mm 403mm 125mm - -   CLEARWOOD 5KW 495mm 430mm 339mm 125mm - -   DUNLOE 5.1KW 617mm 438mm 359mm 125mm - -   ELCOMBESKW 585mm 490mm 343mm 125mm - -   ELCOMBE LOGSTORE 815mm 490mm 343mm 125mm - -   ELMWOOD 6.7KW 683mm 574mm 335mm 125mm - -   GLENWOOD 5KW 574mm 444mm 310mm 125mm - -   HAMPSHIRE 5 559mm 382mm 369mm 125mm - -   HAMPSHIRE 7 570mm 470mm 370mm 125mm - -   HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE 904mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE	BRACKEN 7.9KW	581mm	520mm	355mm	153mm	-	-	-
CLEARWOOD 5KW 495mm 130mm 125mm - -   DUNLOE 5.1KW 617mm 430mm 339mm 125mm - -   ELCOMBESKW 585mm 490mm 343mm 125mm - -   ELCOMBE LOGSTORE 815mm 490mm 343mm 125mm - -   ELCMME LOGSTORE 815mm 490mm 343mm 125mm - -   ELMWOOD 6.7KW 683mm 574mm 335mm 125mm - -   ELMWOOD 5KW 5790mm 390mm 360mm 125mm - -   HAMPSHIRE 5 559mm 382mm 369mm 125mm - -   HAMPSHIRE 7 570mm 470mm 370mm 125mm - -   HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE 904mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE 805mm	BURNBRIGHT 5KW	623mm	550mm	335mm	125mm	-	-	-
DUNLOE 5.1KW 617mm 438mm 359mm 125mm - -   ELCOMBE5KW 585mm 490mm 343mm 125mm - -   ELCOMBE LOGSTORE 815mm 490mm 343mm 125mm - -   ELMWOOD 6.7KW 683mm 574mm 335mm 125mm - -   ELMWOOD COMPACT4.9KW 574mm 444mm 310mm 125mm - -   GLENWOOD SKW 590mm 390mm 360mm 125mm - -   HAMPSHIRE 5 559mm 382mm 369mm 125mm - -   HAZELWOOD 4.9 COMPACT 500mm 420mm 335mm 125mm - -   HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE 904mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE 904mm 343mm 125mm - -   HAZELWOOD 5 LOGSTORE	CAMBRIDGE ECO 5KW	586mm	444mm	403mm	125mm	-	-	-
ELCOMBESKW 585mm 490mm 343mm 125mm - -   ELCOMBE LOGSTORE 815mm 490mm 343mm 125mm - -   ELMWOOD 6.7KW 683mm 574mm 335mm 125mm - -   ELMWOOD COMPACT4.9KW 574mm 444mm 310mm 125mm - -   GLENWOOD SKW 590mm 390mm 360mm 125mm - -   HAMPSHIRE 5 559mm 382mm 369mm 125mm - -   HAZELWOOD 4.9 COMPACT 500mm 320mm 325mm 125mm - -   HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - -   HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - -   HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - -   HAZELWOOD 6.5 DS 530mm 445mm 500mm 125mm - -   LINCOLN SKW <td>CLEARWOOD 5KW</td> <td>495mm</td> <td>430mm</td> <td>339mm</td> <td>125mm</td> <td>-</td> <td>-</td> <td>-</td>	CLEARWOOD 5KW	495mm	430mm	339mm	125mm	-	-	-
ELCOMBE LOGSTORE 815mm 490mm 343mm 125mm - -   ELMWOOD 6.7KW 683mm 574mm 335mm 125mm - -   ELMWOOD COMPACT4.9KW 574mm 444mm 310mm 125mm - -   GLENWOOD 5KW 590mm 390mm 360mm 125mm - -   HAMPSHIRE 5 559mm 382mm 369mm 125mm - -   HAMPSHIRE 7 570mm 470mm 370mm 125mm - -   HAZELWOOD 4.9 COMPACT 500mm 420mm 335mm 125mm - -   HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - -   HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - -   HAZELWOOD 6.5 DS 530mm 343mm 125mm - - -   HAZELWOOD 6.5 DS 530mm 343mm 125mm - - -   LINCOLN LOGSTORE	DUNLOE 5.1KW	617mm	438mm	359mm	125mm	-	-	-
ELMWOOD 6.7KW 683mm 574mm 335mm 125mm - -   ELMWOOD COMPACT4.9KW 574mm 444mm 310mm 125mm - -   GLENWOOD 5KW 590mm 390mm 360mm 125mm - -   HAMPSHIRE 5 559mm 382mm 369mm 125mm - -   HAMPSHIRE 7 570mm 470mm 370mm 125mm - -   HAZELWOOD 4.9 COMPACT 500mm 420mm 335mm 125mm - -   HAZELWOOD 5 LGNDSCAPE 623mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE 904mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE 904mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE 904mm 500mm 125mm - - -   LINCOLN 5KW 623mm 550mm 335mm 125mm - - -	ELCOMBE5KW	585mm	490mm	343mm	125mm	-	-	-
ELMWOOD COMPACT4.9KW 574mm 444mm 310mm 125mm - -   GLENWOOD 5KW 590mm 390mm 360mm 125mm - -   HAMPSHIRE 5 559mm 382mm 369mm 125mm - -   HAMPSHIRE 7 570mm 470mm 370mm 125mm - -   HAZELWOOD 4.9 COMPACT 500mm 420mm 335mm 125mm - -   HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - -   HAZELWOOD 5. LOGSTORE 904mm 550mm 335mm 125mm - -   HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - -   HAMPTON 4.9KW 623mm 550mm 335mm 125mm - -   LINCOLN SKW 585mm 490mm 343mm 125mm - -   LINCOLN LOGSTORE 815mm 490mm 343mm 125mm - -   SHERWOOD 5 <td>ELCOMBE LOGSTORE</td> <td>815mm</td> <td>490mm</td> <td>343mm</td> <td>125mm</td> <td>-</td> <td>-</td> <td>-</td>	ELCOMBE LOGSTORE	815mm	490mm	343mm	125mm	-	-	-
GLENWOOD 5KW 590mm 390mm 360mm 125mm - -   HAMPSHIRE 5 559mm 382mm 369mm 125mm - -   HAMPSHIRE 7 570mm 470mm 370mm 125mm - -   HAZELWOOD 4.9 COMPACT 500mm 420mm 335mm 125mm - -   HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE 904mm 550mm 335mm 125mm - -   HAZELWOOD 5.0S 530mm 465mm 500mm 125mm - -   HAZELWOOD 4.9 KW 623mm 550mm 335mm 125mm - -   HAZELWOOD 5.DS 530mm 465mm 500mm 125mm - -   HAMPTON 4.9KW 623mm 550mm 335mm 125mm - -   LINCOLN LOGSTORE 815mm 490mm 343mm 125mm - -   REDWOOD 5	ELMWOOD 6.7KW	683mm	574mm	335mm	125mm	-	-	-
HAMPSHIRE 5 559mm 382mm 369mm 125mm - -   HAMPSHIRE 7 570mm 470mm 370mm 125mm - -   HAZELWOOD 4.9 COMPACT 500mm 420mm 335mm 125mm - -   HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE 904mm 550mm 335mm 125mm - -   HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - -   HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - -   HAMPTON 4.9KW 623mm 550mm 335mm 125mm - -   LINCOLN SKW 585mm 490mm 343mm 125mm - -   LINCOLN LOGSTORE 815mm 490mm 343mm 125mm - -   REDWOOD 5KW 590mm 390mm 360mm 125mm - -   SHERWOOD 7	ELMWOOD COMPACT4.9KW	574mm	444mm	310mm	125mm	-	-	-
HAMPSHIRE 7 570mm 470mm 370mm 125mm - -   HAZELWOOD 4.9 COMPACT 500mm 420mm 335mm 125mm - -   HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE 904mm 550mm 335mm 125mm - -   HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - -   HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - -   HAMPTON 4.9KW 623mm 550mm 335mm 125mm - -   LINCOLN 5KW 585mm 490mm 343mm 125mm - -   LINCOLN LOGSTORE 815mm 490mm 335mm 125mm - -   REDWOOD 5 KW 590mm 390mm 360mm 125mm - -   SHERWOOD 7 570mm 470mm 388mm 125mm - -   SHERWOOD 12	GLENWOOD 5KW	590mm	390mm	360mm	125mm	-	-	-
HAZELWOOD 4.9 COMPACT 500mm 420mm 335mm 125mm - -   HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - - -   HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - - -   HAZELWOOD 5 LOGSTORE 904mm 550mm 335mm 125mm - - -   HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - - -   HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - - -   HAZELWOOD 5.DS 530mm 465mm 500mm 125mm - - -   HAZELWOOD 6.5 DS 585mm 490mm 343mm 125mm - - -   LINCOLN LOGSTORE 815m 490mm 343mm 125mm - - -   LEAF 4.9KW 500mm 420mm 335mm 125mm - - -   REDWOOD 5KW<	HAMPSHIRE 5	559mm	382mm	369mm	125mm	-	-	-
HAZELWOOD 5 LANDSCAPE 623mm 550mm 335mm 125mm - -   HAZELWOOD 5 LOGSTORE 904mm 550mm 335mm 125mm - - -   HAZELWOOD 5 LOGSTORE 904mm 550mm 335mm 125mm - - -   HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - - -   HAMPTON 4.9KW 623mm 550mm 335mm 125mm - - -   LINCOLN 5KW 623mm 550mm 343mm 125mm - - -   LINCOLN LOGSTORE 815mm 490mm 343mm 125mm - - -   LEAF 4.9KW 500mm 420mm 335mm 125mm - - -   REDWOOD 5KW 590mm 390mm 360mm 125mm - - -   SHERWOOD 7 570mm 470mm 388mm 125mm - - -   SHERWOOD 12 630mm	HAMPSHIRE 7	570mm	470mm	370mm	125mm	-	-	-
HAZELWOOD 5 LOGSTORE 904mm 550mm 335mm 125mm - - -   HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - - -   HAMPTON 4.9KW 623mm 550mm 335mm 125mm - - -   LINCOLN 5KW 623mm 550mm 343mm 125mm - - -   LINCOLN LOGSTORE 815mm 490mm 343mm 125mm - - -   LEAF 4.9KW 500mm 420mm 335mm 125mm - - -   REDWOOD 5KW 500mm 420mm 335mm 125mm - - -   SHERWOOD 5 559mm 382mm 360mm 125mm - - -   SHERWOOD 7 570mm 470mm 388mm 125mm - - -   SEVERN 5 487mm 350mm 410mm 390mm 153mm - - -   SEVERN 8	HAZELWOOD 4.9 COMPACT	500mm	420mm	335mm	125mm	-	-	-
HAZELWOOD 6.5 DS 530mm 465mm 500mm 125mm - -   HAMPTON 4.9KW 623mm 550mm 335mm 125mm - - -   LINCOLN 5KW 585mm 490mm 343mm 125mm - - -   LINCOLN LOGSTORE 815mm 490mm 343mm 125mm - - -   LEAF 4.9KW 500mm 420mm 335mm 125mm - - -   REDWOOD 5KW 590mm 390mm 360mm 125mm - - -   SHERWOOD 5 559mm 382mm 362mm 125mm - - -   SHERWOOD 7 570mm 470mm 388mm 125mm - - -   SHERWOOD 12 630mm 540mm 390mm 153mm - - -   SEVERN 5 487mm 350mm 415mm 125mm - - -   SEVERN 8 530mm 470mm	HAZELWOOD 5 LANDSCAPE	623mm	550mm	335mm	125mm	-	-	-
HAMPTON 4.9KW 623mm 550mm 335mm 125mm - - -   LINCOLN 5KW 585mm 490mm 343mm 125mm - - -   LINCOLN LOGSTORE 815mm 490mm 343mm 125mm - - -   LEAF 4.9KW 500mm 420mm 335mm 125mm - - -   REDWOOD 5KW 590mm 390mm 360mm 125mm - - -   SHERWOOD 5 559mm 382mm 362mm 125mm - - -   SHERWOOD 7 570mm 470mm 388mm 125mm - - -   SHERWOOD 12 630mm 540mm 390mm 153mm - - -   SEVERN 5 487mm 350mm 415mm 125mm - - -   SEVERN 8 530mm 470mm 339mm 125mm - - -   THAMES 5.1KW 495mm 43	HAZELWOOD 5 LOGSTORE	904mm	550mm	335mm	125mm	-	-	-
LINCOLN 5KW 585mm 490mm 343mm 125mm - - -   LINCOLN LOGSTORE 815mm 490mm 343mm 125mm -	HAZELWOOD 6.5 DS	530mm	465mm	500mm	125mm	-	-	-
LINCOLN LOGSTORE 815mm 490mm 343mm 125mm - - -   LEAF 4.9KW 500mm 420mm 335mm 125mm - - -   REDWOOD 5KW 590mm 390mm 360mm 125mm - - -   SHERWOOD 5 559mm 382mm 362mm 125mm - - -   SHERWOOD 7 570mm 470mm 388mm 125mm - - -   SHERWOOD 7 570mm 470mm 388mm 125mm - - -   SHERWOOD 12 630mm 540mm 390mm 153mm - - -   SEVERN 5 487mm 350mm 415mm 125mm - - -   SEVERN 8 530mm 470mm 339mm 125mm - - -   THAMES 5.1KW 495mm 430mm 339mm 125mm - - -   WILLOW 6.7KW 623mm 550m	HAMPTON 4.9KW	623mm	550mm	335mm	125mm	-	-	-
LEAF 4.9KW 500mm 420mm 335mm 125mm - -   REDWOOD 5KW 590mm 390mm 360mm 125mm - - -   SHERWOOD 5 559mm 382mm 362mm 125mm - - -   SHERWOOD 5 559mm 382mm 362mm 125mm - - -   SHERWOOD 7 570mm 470mm 388mm 125mm - - -   SHERWOOD 12 630mm 540mm 390mm 153mm - - -   SEVERN 5 487mm 350mm 415mm 125mm - - -   SEVERN 8 530mm 470mm 435mm 125mm - - -   THAMES 5.1KW 495mm 430mm 339mm 125mm - - -   WILLOW 6.7KW 623mm 550mm 335mm 125mm - - -	LINCOLN 5KW	585mm	490mm	343mm	125mm	-	-	-
REDWOOD 5KW 590mm 390mm 360mm 125mm - - -   SHERWOOD 5 559mm 382mm 362mm 125mm - - -   SHERWOOD 7 570mm 470mm 388mm 125mm - - -   SHERWOOD 7 570mm 470mm 388mm 125mm - - -   SHERWOOD 12 630mm 540mm 390mm 153mm - - -   SEVERN 5 487mm 350mm 415mm 125mm - - -   SEVERN 8 530mm 470mm 435mm 125mm - - -   THAMES 5.1KW 495mm 430mm 339mm 125mm - - -   WILLOW 6.7KW 623mm 550mm 335mm 125mm - - -	LINCOLN LOGSTORE	815mm	490mm	343mm	125mm	-	-	-
SHERWOOD 5 559mm 382mm 362mm 125mm - - -   SHERWOOD 7 570mm 470mm 388mm 125mm - - -   SHERWOOD 12 630mm 540mm 390mm 153mm - - -   SHERWOOD 12 630mm 540mm 390mm 153mm - - -   SEVERN 5 487mm 350mm 415mm 125mm - - -   SEVERN 8 530mm 470mm 435mm 125mm - - -   THAMES 5.1KW 495mm 430mm 339mm 125mm - - -   WILLOW 6.7KW 623mm 550mm 335mm 125mm - - -	LEAF 4.9KW	500mm	420mm	335mm	125mm	-	-	-
SHERWOOD 7 570mm 470mm 388mm 125mm - -   SHERWOOD 12 630mm 540mm 390mm 153mm - - -   SEVERN 5 487mm 350mm 415mm 125mm - - -   SEVERN 8 530mm 470mm 435mm 125mm - - -   THAMES 5.1KW 495mm 430mm 339mm 125mm - - -   WILLOW 6.7KW 623mm 550mm 335mm 125mm - - -	REDWOOD 5KW	590mm	390mm	360mm	125mm	-	-	-
SHERWOOD 12 630mm 540mm 390mm 153mm - - -   SEVERN 5 487mm 350mm 415mm 125mm - - -   SEVERN 8 530mm 470mm 435mm 125mm - - -   THAMES 5.1KW 495mm 430mm 339mm 125mm - -   WILLOW 6.7KW 623mm 550mm 335mm 125mm - -	SHERWOOD 5	559mm	382mm	362mm	125mm	-	-	-
SEVERN 5 487mm 350mm 415mm 125mm - - -   SEVERN 8 530mm 470mm 435mm 125mm - - -   THAMES 5.1KW 495mm 430mm 339mm 125mm - - -   WILLOW 6.7KW 623mm 550mm 335mm 125mm - -	SHERWOOD 7	570mm	470mm	388mm	125mm	-	-	-
SEVERN 8 530mm 470mm 435mm 125mm - - -   THAMES 5.1KW 495mm 430mm 339mm 125mm - - -   WILLOW 6.7KW 623mm 550mm 335mm 125mm - - -	SHERWOOD 12	630mm	540mm	390mm	153mm	-	-	-
THAMES 5.1KW 495mm 430mm 339mm 125mm - -   WILLOW 6.7KW 623mm 550mm 335mm 125mm - -	SEVERN 5	487mm	350mm	415mm	125mm	-	-	-
WILLOW 6.7KW 623mm 550mm 335mm 125mm - -	SEVERN 8	530mm	470mm	435mm	125mm	-	-	-
	THAMES 5.1KW	495mm	430mm	339mm	125mm	-	-	-
WILLOW COMPACT 4.9KW 500mm 420mm 335mm 125mm -	WILLOW 6.7KW	623mm	550mm	335mm	125mm	-	-	-
	WILLOW COMPACT 4.9KW	500mm	420mm	335mm	125mm	-	-	-
PORTO DOOR 620mm 525mm -	PORTO DOOR	620mm	525mm	-	-	-	-	-


	HEIGHT	WIDTH	DEPTH	FLUE	backbox HEIGHT	backbox WIDTH	BACKBOX DEPTH
ARKLOW 4.6KW - INSERT	591mm	485mm	370mm	125mm	512mm	396mm	263mm
ELMWOOD ECO - INSERT	594mm	540mm	430mm	125mm	552mm	396mm	370mm
ACHILL ECO - INSERT	595mm	485mm	430mm	125mm	552mm	396mm	370mm
ATHENS 400	626mm	468mm	350mm	153mm	550mm	395mm	-
ATHENS 500	630mm	577mm	350mm	153mm	550mm	500mm	-
ECO C400	663mm	512mm	345mm	125mm	552mm	-	-
ECO C550	594mm	663mm	344mm	125mm	482mm	-	-
LAGOS 500	545mm	496mm	440mm	151mm	545mm	-	-
LAGOS 600	545mm	596mm	440mm	151mm	545mm	-	-
MUCKROSS 4.6	595mm	485mm	370mm	125mm	512mm	396mm	283mm
PORTIMAO 700	545mm**	696mm**	470mm**	151mm	545mm	-	-
PORTIMAO 900	545mm**	896mm**	470mm**	151mm	545mm	-	-
PORTIMAO 900 DS	545mm**	896mm**	527mm**	151mm	-	-	-

DIMENSIONS: PELLET STOVES									
		HEIGHT	WIDTH	DEPTH	FLUE				
BIO 80Q ROUN	ND	900mm	510mm	480mm	80mm	-	-	-	
ELM 4KW - FR	EESTANDING	610mm	385mm	430mm	80mm	-	-	-	
ELM 8KW - FR	EESTANDING	909mm	435mm	460mm	80mm	-	-	-	
ELM 11KW - IN	NSERT STOVE	909mm	435mm	460mm	80mm	-	-	-	

DIMENSIONS: BOILER STOVES										
	HEIGHT	WIDTH	DEPTH	FLUE	backbox HEIGHT	backbox WIDTH	backbox DEPTH			
SHERWOOD 12 BOILER	630mm	540mm	455mm	153mm	-	-	-			
PORTIMAO 16KW BOILER	553mm	697mm	535mm	194mm	950	-	-			
ELM 20KW PELLET BOILER	1043mm	534mm	590mm	80mm	-	-	-			

### DIMENSIONS: OUTDOOR STOVES

	HEIGHT	WIDTH	DEPTH	FLUE			
THOR D12 OUTDOOR WL	1000mm	550mm	550mm	125mm	-	-	-
THOR D12 OUTDOOR WB	1000mm	550mm	550mm	125mm	-	-	-



\* Please note: all cassette stove dimensions include frame unless stated otherwise. \*\* Measurement excludes frame. All dimensions are correct at time of print, but may be subject to change. Please confirm exact measurements before commencing any installation works.

#### LOGSTORE

	HEIGHT	WIDTH	DEPTH		HEIGHT	WIDTH	DEPTH
SHERWOOD 5	210mm	370mm	315mm	HAMPSHIRE 5	210mm	370mm	315mm
SHERWOOD 7	240mm	450mm	330mm	HAMPSHIRE 7	240mm	450mm	330mm
SEVERN 5	150mm	350mm	280mm	SEVERN 8	200mm	470mm	300mm
BURNBRIGHT	322mm	550mm	330mm				

\* Please note: all cassette stove dimensions include frame unless stated otherwise. \*\* Measurement excludes frame.

All dimensions are correct at time of print, but may be subject to change. Please confirm exact measurements before commencing any installation works.

### **DIMENSIONS: INSERT & CASSETTE\***

EVERY HOME DESERVES A HENLEY

# HENLEY STOVES

Address: Curraheen, Tralee, Co. Kerry, Ireland Dublin Warehouse: 2 Cloverhill, Industrial Estate, Clondalkin, Dublin 22 Henley Stoves UK: Master Logistics, Ely Rd, Stretham, Ely CB6 3JJ

www.henleystoves.com, sales@henleystoves.com © 2023 Henley Stoves All Rights Reserved Local Stockist:

THE STOVE COLLECTION 2024 : VOL 1

Henley and/or its logo is a registered trademark, as registered under number 262898 with the Intellectual Property Office of Ireland. The usage is protected under Irish Law. All images are used for illustration purposes only and may differ from the actual product. Images contained within this brochure are Copyright 2023 of Henley Stoves.